

### **BD 50/50 C BP PACK CLASSIC**

The BD 50/50 C Bp Pack Classic is an affordable and compact entry-level model to the class of battery powered scrubber driers. The machine allows area performances of up to  $2000 \text{ m}^2/\text{h}$ .





Order no.

1.127-006.0


- Battery powered
- 1 disc
- Extremely easy to use

Technical data		
EAN code		4054278193984
Drive type		Battery
Working width of brushes	mm	510
Working width, vacuuming	mm	900
Fresh/dirty water tank	1	50 / 50
Theoretical area performance	m²/h	max. 2040
Practical area performance	m²/h	1020
Battery type		maintenance-free
Battery	V / Ah	24 / 115
Battery runtime	h	max. 3
Battery charging time	h	approx. 12
Power supply for battery charger	V / Hz	100 - 240 / 50 - 60
Brush speed	rpm	180
Brush contact pressure	g/cm² / kg	27.3 - 28.5 / 20 - 23
Aisle turning width	mm	1240
Water consumption	l/min	max. 2.3
Sound pressure level	dB(A)	66
Weight without accessories	kg	52
Dimensions (L × W × H)	mm	1170 × 570 × 1025

This device	does	not r	eauire	instruction.
iiiis acvice	aocs		-40	

Equipment	
Disc brush	
Battery	
Battery charger	
Squeegee, v-shape	•
2-tank system	
Motor	Battery
Included in delivery.	

#### KARCHER





### Equipped with solenoid valve and transport roll for maximum comfort

- Solenoid valve for automatic water cutout after the dead man's switch is released.
- The fold-out transport roll makes possible the convenient two-step method.
- Fold-out transport roll facilitates the transport of the machine considerably.



#### Simple operation thanks to EASY-Operation Panel

- Clear control panel with self-explanatory symbols
- Brief familiarisation stages
- Easy to use, colour coded control elements



#### Affordable entry-level model

- Excellent price-performance ratio.
- Reduced to the most important functions.





























Disc brush, medium, red, 510 mm  1   4,905-0260   Medium hard disc brush (510 mm) in red version for all common cleaning tasks. Bristles made from polypropylene: 0.6 mm thick, 41 mm long.  Disc brush, soft, natural, 510 mm  2   4,905-0270   Soft disc brush, (natural, 510 mm) for cleaning and polishing. Bristles: Union Burnish Mixture; 0.6 mm thick, 41 mm long.  Disc brush complete black D51, hard, black, 3   4,905-0290   Hard disc brush (510 mm) in black for insensitive floor coverings. For stubborn dirt and deep cleaning. Bristles made from Tynex; 1.0 mm thick, 41 mm long.  Suction Bars AND SQUEEGES  Suction Bars AND SQUEEGES  Suction bar, complete  Squeegee, 850 mm, vishaped   4   4,777-0790   900 mm long, Vishaped squeegee with suction lips made from wear- and oil-resistant polyprethane. Squeegee, 850 mm, straight   5   4,777-401   Straight suction bar, with support rollers. Squeegee blades are made from oil-resistant, transparent polyprethane and are easy to replace.  Squeegee, 850 mm, straight   5   4,777-401   Straight suction bar, with support rollers. Squeegee blades are made from oil-resistant, transparent polyprethane and are easy to replace.  Squeegees for suction bars  Rubber (lip set corrugated oil resistant Rise, B530,55,   7   6,273-0230   Suction lips set in did easy to replace.  Squeegee shade kit includes front and rear squeegee blades, 870 mm. Slotted squeegee blades of lips are made of wear- and oil-resistant, transparent polyprethane. For all standard floors.  Suction lips, oil-resistant, slotted, 890 mm   8   6,273-2290   Squeegee blade kit includes front and rear squeegee blades, 870 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyprethane. For sensitive floors.  Suction lips, oil-resistant, closed, 890 mm   9   6,273-2900   Squeegee blade kit includes front and rear squeegee blades, 870 mm. Slotted squeegee blades of from wear-resistant, oil-resistant, oil-resistant, oil-resistant, oil-resistant and transparent polyprethane. For sensitive floors.  Squeegee Bat					
Disc Brushes FOR BD Disc brush, medium, red. 510 mm  1   4,905-026.0   Medium hard disc brush (510 mm) in red version for all common cleaning tasks. Bristles made from polypropylene: 0.6 mm thick, 41 mm long.  Disc brush, soft, natural, 510 mm  2   4,905-027.0   Soft disc brush (natural, 510 mm) for cleaning and polishing. Bristles: Union Burnish Mixture; 0.6   mm thick, 41 mm long.  Disc brush complete black D51, hard, black, 3   4,905-023.0   Hard disc brush (510 mm) in black for insensitive floor coverings. For stubborn dirt and deep cleaning. Bristles made from Tynex; 1.0 mm thick, 41 mm long.  SUCTION BARS AND SQUEEGEES  SUCTION BARS AND SQUEEGEE BARS SQUEEGEE BARS AND SQUEEGEE BARS SQUEE					
Disc brush, medium, red, 510 mm  1   4,905-0260   Medium hard disc brush (510 mm) in red version for all common cleaning tasks. Bristles made from polypropylene: 0.6 mm thick, 41 mm long.  Disc brush, soft, natural, 510 mm  2   4,905-0270   Soft disc brush, (natural, 510 mm) for cleaning and polishing. Bristles: Union Burnish Mixture; 0.6 mm thick, 41 mm long.  Disc brush complete black D51, hard, black, 3   4,905-029.0   Hard disc brush (510 mm) in black for insensitive floor coverings. For stubborn dirt and deep cleaning. Bristles made from Tynex; 1.0 mm thick, 41 mm long.  Suction Bars AND SQUEEGES  Suction Bars AND SQUEEGES  Suction bar, complete  Squeegee, 850 mm, v-shaped   4   4,777-079.0   900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment.  Squeegee, 850 mm, straight   5   4,777-40.1   5 traight suction bar, with support rollers. Squeegee blades are made from oil-resistant, transparent polyurethane and are easy to replace.  Squeegees for suction bars  Rubber lips est corrugated oil resistant, grooved, 1010 mm   6   6,273-023.0   5 squeegee blade ski lincludes front and rear squeegee blades. 870 mm. Grooved squeegee blades of oil-resistant, grooved, 890 mm   8   6,273-229.0   5 squeegee blade ski lincludes front and rear squeegee blades, 870 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.  Suction lips, oil-resistant, closed, 890 mm   9   6,273-290.0   Squeegee blade ski lincludes front and rear squeegee blades, 870 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.  Rubber lips est standard, Natural rubber, 890   10   6,273-293.0   Squeegee blade ski lincludes front and rear squeegee blades, 870 mm. Slotted squeegee blades of from wear-resistant, oil-resistant and transparent polyurethane. For sensitive floors.  Rubber lips est standard, Natural rubber, 890			Order no.	Description	
polypropylene: 0.6 mm thick, 41 mm long.  Disc brush, soft, natural, 510 mm  2 4.905-027.0 Soft disc brush (natural, 510 mm) for cleaning and polishing. Bristles: Union Burnish Mixture; 0.6 mm thick, 41 mm long.  Disc brush complete black D51, hard, black, 3 4.905-029.0 Hard disc brush (510 mm) in black for insensitive floor coverings. For stubborn dirt and deep cleaning. Bristles made from Tynex; 1.0 mm thick, 41 mm long.  SUCTION BARS AND SQUEEGEES  Suction Bar, complete  Squeegee, 900 mm, V. shaped  4 4.777-079.0 900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment.  Squeegee, 850 mm, straight  5 4.777-401.0 Straight suction bar, with support rollers. Squeegee blades are made from oil-resistant, transparent polyurethane and are easy to replace.  Squeegees for suction bars  Rubber lip set corrugated oil resistant, oil-resistant, corrugated oil resistant, grooved, 1010 mm  Rubber lip set oil resistant BR-BD530,55, oil-resistant, grooved, 890 mm  Because of wear- and oil-resistant polyurethane and are suitable for all floors.  Squeegee blade kit includes front and rear squeegee blades, 870 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.  Suction lips, oil-resistant, closed, 890 mm  Because of Squeegee blade kit includes front and rear squeegee blades, 870 mm. Soft adjusted of land-wearing, oil-resistant, transparent polyurethane. For sensitive floors.  Suction lips, oil-resistant, and rear squeegee blades, 870 mm. Soft natural rubber grooved growed	DISC BRUSHES FOR BD				
mm thick, 41 mm long.    Mard disc brush fc310 mm in black for insensitive floor coverings. For stubborn dirt and deep cleaning. Bristles made from Tynex; 1.0 mm thick, 41 mm long.    Suction BARS AND SQUEEGEES   Suction bar, complete	Disc brush, medium, red, 510 mm	1	4.905-026.0		•
Cleaning. Bristles made from Tynex; 1.0 mm thick, 41 mm long.	Disc brush, soft, natural, 510 mm	2	4.905-027.0		
Squeegee, 900 mm, V-shaped 4, 4.777-079.0 900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment.  Squeegee, 850 mm, straight 5 4.777-401.0 Straight suction bar, with support rollers. Squeegee blades are made from oil-resistant, transparent polyurethane and are easy to replace.  Squeegees for suction bars  Rubber lip set corrugated oil resistant, grooved, 1010 mm 6 6.273-023.0 Suction lip set, fluted and developed for V-shaped squeegees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors.  Rubber lip set oil resistant BR-BD530,55, oil-resistant, grooved, 890 mm 8 6.273-229.0 Squeegee blade kit includes front and rear squeegee blades, 870 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.  Suction lips, oil-resistant, closed, 890 mm 9 6.273-290.0 Squeegee blade kit includes front and rear squeegee blades, 870 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.  Suction lips, oil-resistant, closed, 890 mm 9 6.273-290.0 Suction lips set, consisting of front and rear squeegee blades, 870 mm. Slotted squeegee blades of hard-wearing, oil-resistant, oil-resistant polyurethane. For textured floors.  Rubber lip set standard, Natural rubber, 890 10 6.273-291.0 Suction lips set, consisting of front and rear squeegee blades, 870 mm. Soft natural rubber grooved grown mm 10 from the arm of the properties and transparent polyurethane. For textured floors.  Squeegee blades, For all standard floors.  TRACTION BATTERIES AND CHARGERS  Battery kit AGM 2x 12V/115Ah, 24 V, 115 Ah, 11 2.815-091.0 maintenance-free Battery kit AGM 2x 12V/115Ah, 24 V, 115 Ah, 11 2.815-091.0 maintenance-free Battery kit AGM 2x 12V/115Ah, 24 V, 115 Ah, 24 Sada-144.0 maintenance-free Battery kit Datteries of 70 to 105 Ah with order no. 6.654-093.0, 6.654	Disc brush complete black D51, hard, black, 510 mm	3	4.905-029.0	, , , , , , , , , , , , , , , , , , , ,	
Squeegee, 900 mm, V-shaped  4 4.777-079.0 900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment.  5 4.777-401.0 Straight suction bar, with support rollers. Squeegee blades are made from oil-resistant, transparent polyurethane and are easy to replace.  Squeegees for suction bars  Rubber lip set corrugated oil resistant, oil-resistant, oil-resistant grooved, 1010 mm  8 6 6.273-023.0 Suction lip set, fluted and developed for V-shaped squeegees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors.  Rubber lip set oil resistant BR-BD530,55, oil-resistant, slotted, 890 mm  8 6 273-229.0 Squeegee blade kit includes front and rear squeegee blades, 870 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.  Suction lips, oil-resistant, closed, 890 mm  9 6 273-290.0 Squeegee blade kit includes front and rear squeegee blades, 870 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.  Suction lips, oil-resistant, closed, 890 mm  9 6 273-290.0 Squeegee blade kit includes front and rear squeegee blades, 870 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For textured floors.  Rubber lip set standard, Natural rubber, 890  10 6 273-213.0 Squeegee blade kit includes front and rear squeegee blades, 870 mm. Soft natural rubber grooved squeegee blades. For all standard floors.  TRACTION BATTERIES AND CHARGERS  Batteries  Battery kit AGM 2x 12V/115Ah, 24 V, 115 Ah, 11 2.815-091.0 Image places and the place places are squeegee blades. For all standard floors.  Accessories for batteries  Charger, 24 V In 12 6.654-329.0 Standby battery charger for maintenance-free 24 V batteries of 70 to 105 Ah with order no. 6.654-093.0, 6.654-141.0 and 4.035-449.0.  Accessories for batteries  Sweeping  Pickers	SUCTION BARS AND SQUEEGEES				
with a long lifetime and for all floors. With spirit level for precise adjustment.  Squeegee, 850 mm, straight  5 4.777-401.0 Straight suction bar, with support rollers. Squeegee blades are made from oil-resistant, transparent polyurethane and are easy to replace.  Squeegees for suction bars  Rubber lip set corrugated oil resistant, oil-resistant, grooved, 1010 mm  Rubber lip set corrugated oil resistant, oil-resistant, grooved, 1010 mm  7 6.273-207.0 Squeegee blade kit includes from and rear squeegee blades, 870 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.  Suction lips, oil-resistant, slotted, 890 mm  8 6.273-229.0 Squeegee blade kit includes front and rear squeegee blades, 870 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.  Suction lips, oil-resistant, closed, 890 mm  9 6.273-290.0 Squeegee blade kit includes front and rear squeegee blades, 870 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.  Suction lips, oil-resistant, closed, 890 mm  9 6.273-290.0 Suction lips sc. consisting of front and rear squeegee blades, 870 mm. Slotted squeegee blades of hard-wearing, oil-resistant and transparent polyurethane. For textured floors.  Rubber lip set standard, Natural rubber, 890  10 6.273-213.0 Squeegee blade kit includes front and rear squeegee blades, 870 mm. Soft natural rubber grooved squeegee blades. For all standard floors.  RACTION BATTERIES AND CHARGERS  Battery kit AGM 2x 12V/115Ah, 24 V, 115 Ah, maintenance-free  Battery Kit AGM 2x 12V/115Ah, 24 V, 115 Ah, maintenance-free  Battery Kit AGM 2x 12V/115Ah, 24 V, 115 Ah, maintenance-free  Battery Kit AGM 2x 12V/115Ah, 24 V, 115 Ah, maintenance-free  Battery Kit AGM 2x 12V/115Ah, 24 V, 115 Ah, maintenance-free  Battery Kit AGM 2x 12V/115Ah, 24 V, 115 Ah, maintenance-free  Battery Kit AGM 2x 12V/115Ah, 24 V, 115 Ah, maintenance-free  Battery Kit AGM 2x 12V/115Ah, 24 V, 115 Ah,	Suction bar, complete				
Squeegees for suction bars  Rubber lip set corrugated oil resistant, oil-resistant, grooved, 1010 mm  Rubber lips, are made of wear- and oil-resistant polyurethane and are suitable for all floors.  Rubber lips set oil resistant BR-BD530,55, oil-resistant, grooved, 890 mm  Rubber lips, oil-resistant, srooved, 890 mm  Suction lips, oil-resistant, srooved, 890 mm, solt squeegee blades kit includes front and rear suction lip, 890 mm long, In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors.  Suction lips, oil-resistant, srooved, 890 mm, soft natural rubber grooved squeegee blades, 870 mm, soft natural rubber grooved s	Squeegee, 900 mm, V-shaped	4	4.777-079.0		
Rubber lip set corrugated oil resistant, oil-resistant, grooved, 1010 mm  8	Squeegee, 850 mm, straight	5	4.777-401.0		
ilips are made of wear- and oil-resistant polyurethane and are suitable for all floors.  Rubber lip set oil resistant BR-BD530,55, oil-resistant, grooved, 890 mm  8 6.273-229.0 Squeegee blade kit includes front and rear squeegee blades, 870 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.  Suction lips, oil-resistant, closed, 890 mm  9 6.273-290.0 Scution lips, oil-resistant, transparent polyurethane. For sensitive floors.  Suction lips set standard, Natural rubber, 890 mp  10 6.273-213.0 Squeegee blade kit includes front and rear squeegee blades, 870 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.  Suction lips set standard, Natural rubber, 890 mp  10 6.273-213.0 Squeegee blade kit includes front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors.  TRACTION BATTERIES AND CHARGERS  Battery kit AGM 2x 12V/115Ah, 24 V, 115 Ah, and an enclosed design made group squeegee blades. For all standard floors.  TRACTION BATTERIES AND CHARGERS  Battery Chargers  Charger, 24 V and an enclosed design made from the analysis of front and rear squeegee blades, 870 mm. Soft natural rubber grooved squeegee blades. For all standard floors.  Accessories for batteries  Mounting kit battery kit 13 2.638-144.0 squeegee blades it includes front and rear squeegee blades, 870 mm. Soft natural rubber grooved squeegee blades. For all standard floors.  Sweepens Standard floors.  \$\text{SWEEPING}\$  Pickers	Squeegees for suction bars		<u>'</u>		
oil-resistant, grooved, 890 mm    hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.   Suction lips, oil-resistant, slotted, 890 mm   8   6.273-229.0   Squeegee blade kit includes front and rear squeegee blades, 870 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.   Suction lips, oil-resistant, closed, 890 mm   9   6.273-290.0   Suction lips et, consisting of front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors.   Rubber lip set standard, Natural rubber, 890   10   6.273-213.0   Squeegee blade kit includes front and rear squeegee blades, 870 mm. Soft natural rubber grooved squeegee blades. For all standard floors.   TRACTION BATTERIES AND CHARGERS   Batteries   Battery kit AGM 2x 12V/115Ah, 24 V, 115 Ah, and an intended floors   1   2.815-091.0   Maintenance-free   Battery Chargers   1   2.815-091.0   Maintenance-free   Battery Chargers   1   2.815-091.0   Maintenance-free   24 V batteries of 70 to 105 Ah with order no. 6.654-093.0, 6.654-141.0 and 4.035-449.0   Maintenance-free   24 V batteries of 70 to 105 Ah with order no. 6.654-093.0, 6.654-141.0 and 4.035-449.0   Maintenance-free   1   2.638-144.0   Maintenance-free   1   2.638-144.0   Maintenance-free   1   2.638-144.0   Maintenance-free   1   2.638-144.0   Maintenance-free   2   2   3   3   3   3   3   3   3   3	Rubber lip set corrugated oil resistant, oil-resistant, grooved, 1010 mm	6	6.273-023.0		
hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.  Suction lips, oil-resistant, closed, 890 mm  9 6.273-290.0 Suction lip set, consisting of front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors.  Rubber lip set standard, Natural rubber, 890 10 6.273-213.0 Squeegee blade kit includes front and rear squeegee blades, 870 mm. Soft natural rubber grooved squeegee blades. For all standard floors.  TRACTION BATTERIES AND CHARGERS  Battery kit AGM 2x 12V/115Ah, 24 V, 115 Ah, maintenance-free  Battery Chargers  Charger, 24 V 12 6.654-329.0 Standby battery charger for maintenance-free 24 V batteries of 70 to 105 Ah with order no. 6.654-093.0, 6.654-141.0 and 4.035-449.0.  Accessories for batteries  Mounting kit battery kit 13 2.638-144.0 SWEEPING  Pickers	Rubber lip set oil resistant BR-BD530,55, oil-resistant, grooved, 890 mm	7	6.273-207.0		
from wear-resistant, oil-resistant and transparent polyurethane. For textured floors.  Rubber lip set standard, Natural rubber, 890 mm  10 6.273-213.0 Squeegee blade kit includes front and rear squeegee blades, 870 mm. Soft natural rubber grooved squeegee blades. For all standard floors.  TRACTION BATTERIES AND CHARGERS  Batteries  Battery kit AGM 2x 12V/115Ah, 24 V, 115 Ah, maintenance-free  Battery Chargers  Charger, 24 V  12 6.654-329.0 Standby battery charger for maintenance-free 24 V batteries of 70 to 105 Ah with order no. 6.654-093.0, 6.654-141.0 and 4.035-449.0.  Accessories for batteries  Mounting kit battery kit  13 2.638-144.0   SWEEPING  Pickers	Suction lips, oil-resistant, slotted, 890 mm	8	6.273-229.0		
mm squeegee blades. For all standard floors.  TRACTION BATTERIES AND CHARGERS  Batteries  Battery kit AGM 2x 12V/115Ah, 24 V, 115 Ah, 11 2.815-091.0 maintenance-free  Battery Chargers  Charger, 24 V 12 6.654-329.0 Standby battery charger for maintenance-free 24 V batteries of 70 to 105 Ah with order no. 6.654-093.0, 6.654-141.0 and 4.035-449.0.  Accessories for batteries  Mounting kit battery kit 13 2.638-144.0   SWEEPING  Pickers	Suction lips, oil-resistant, closed, 890 mm	9	6.273-290.0		
Battery kit AGM 2x 12V/115Ah, 24 V, 115 Ah, and an internance-free  Battery Chargers  Charger, 24 V	Rubber lip set standard, Natural rubber, 890 mm	10	6.273-213.0		
Battery kit AGM 2x 12V/115Ah, 24 V, 115 Ah, and an internance-free shattery Chargers  Charger, 24 V	TRACTION BATTERIES AND CHARGERS				
maintenance-free  Battery Chargers  Charger, 24 V	Batteries				
Charger, 24 V  12   6.654-329.0   Standby battery charger for maintenance-free 24 V batteries of 70 to 105 Ah with order no.   6.654-093.0, 6.654-141.0 and 4.035-449.0.  Accessories for batteries  Mounting kit battery kit  13   2.638-144.0   ■  SWEEPING  Pickers	Battery kit AGM 2x 12V/115Ah, 24 V, 115 Ah, maintenance-free	11	2.815-091.0		
6.654-093.0, 6.654-141.0 and 4.035-449.0.  Accessories for batteries  Mounting kit battery kit  13 2.638-144.0  SWEEPING  Pickers	Battery Chargers				
Mounting kit battery kit 13 2.638-144.0  SWEEPING Pickers	Charger, 24 V	12	6.654-329.0		
SWEEPING Pickers	Accessories for batteries			,	
Pickers	Mounting kit battery kit	13	2.638-144.0		
	SWEEPING				
Pliers bulk waste 100cm 14 6.999-113.0 For picking up coarse dirt conveniently.	Pickers				
	Pliers bulk waste 100cm	14	6.999-113.0	For picking up coarse dirt conveniently.	

 $\blacksquare$  Included in delivery.  $\qed$  Available accessories.



























				$\top$
		Order no.	Description	
TEXTILES DURABLE				
Pockets				
Mop blue ECO!	15	6.999-143.0	Microfibre loop mop for excellent dirt intake.	[
Mop red ECO!	16	6.999-136.0		[
FLOOR WET CLEANING				
Spraymopsystems				
ECO!Spray mop system	17	5.999-045.0	For fast cleaning of smaller areas. Cleaning agent is dispensed at the push of a button. 155 cm long includes 0.66-litre tank, mop holder and telescoping handle.	g. [
DISC PADS / PAD DRIVE BOARDS				
Pads				Ţ
Pad, soft, beige, 508 mm, 5 x	18	6.369-468.0	With fine grains for perfect polishing results on floors.	[
Pad, medium-soft, red, 508 mm, 5 x	19	6.369-079.0	Medium soft, for wet-cleaning of all surfaces and for spray cleaning.	[
Pad, medium-hard, green, 508 mm, 5 x	20	6.369-078.0	Medium hard, for cleaning stubborn soilings and for deep cleaning.	[
Pad, hard, black, 508 mm, 5 x	21	6.369-077.0	Hard, for persistent soilings and for deep cleaning.	[
Pad SPP 51 Set 2x, hard, brown, 508 mm, 2 x	22	2.639-258.0		[
Natural hair pad, soft, natural, 500 mm, 5 x	23	6.371-146.0	With natural hair, for polishing. Effectively removes scuff marks.	1
Pad drive board				Ť
Pad disk complete STRONG D51, 480 mm	24	4.762-593.0		[
Pad drive board, 479 mm	25	4.762-534.0	For cleaning with pads. With quick-change coupling and Centerlock.	[
Diamond pads		!		Ė
Diamond pad, coarse, white, 508 mm, 5 x	26	6.371-260.0	For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	
Diamond pad, medium, yellow, 508 mm, 5 x	27	6.371-261.0	For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.	
Diamond pad, fine, green, 508 mm, 5 x	28	6.371-240.0	For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.	

 $<sup>\</sup>blacksquare$  Included in delivery.  $\qed$  Available accessories.































		Order no.	Description	
DISC PADS / PAD DRIVE BOARDS				
Melamine pads				
Melamine pad, 508 mm, 2 x	29	6.371-025.0	Melamine pad set with 508 mm diameter for our scrubber driers with a working width of 51 cm or with the D 100 brush head. For the effective cleaning of microporous surfaces.	
OTHER ACCESSORIES FOR SCRUBBER DRYERS				
Cleaning tool kit accessories				
Home Base mop holder kit	30	9.753-023.0	Holder fits on machine for convenient wiping mop storage.	
Universal hook kit	31	4.070-075.0	Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	
Holder handhold grey	32	6.980-078.0	Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	
Bottle holder	33	6.980-080.0	Suitable for transporting spray bottles - only in conjunction with Home Base adapter 5.035-488.0.	
Home Base Box Kit	34	4.035-406.0	The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	
Adapter Homebase	35	5.035-488.0	Fastener for various hooks and clips on the machine.	
Double hook	36	6.980-077.0	Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0.	
Holder suction bar complete	37	9.753-088.0		
RM Dosierstation				П
Cleaning agent dosage kit, wall mounted DS 3	38	2.641-811.0	Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.	
Miscellaneous				
Filling hose	39	6.680-124.0	1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	
KITS				
Other attachment kits				
ABS drain hose ball valve	40	2.643-986.0	Drain hose for metered draining of dirty water from the tanks in our BD 50/50 C Classic and BD 50/60 C Classic cand BD 50/60 C Classic scrubber driers. Water flow regulation using a ball valve.	
Set deflector roll stack formation SB	41	4.035-619.0		
Suction hose accessories	42	4.444-015.0	For vacuuming water out of corners or containers (e.g. freezers).	Г

lacksquare Included in delivery.  $\Box$  Available accessories.







		Order no.	Description	
SPRAY EXTRACTION CLEANERS				
Other				
Cleaning agent container, complete	43	4.070-006.0	Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail.	
SPRAYERS				
Pump spray bottle 1 l	44	6.394-409.0	1 litre pump spray bottle – including pump and pressure tank – for easy, uniform spraying for cleaning or crystallising.	

 $<sup>\ \</sup>square$  Available accessories.